

From: [Smalley, Bryant](#)
To: [McQuiddy, David](#)
Subject: Re: Lab Update - Craft-Turney, Monday 10/8
Date: Monday, October 8, 2018 1:52:31 PM

Tell your folks we do appreciate their Time and professionalism!

Bryant

Sent from my iPhone

On Oct 8, 2018, at 10:30 AM, McQuiddy, David <Mcquiddy.David@epa.gov> wrote:

Samples need to be de-chlorinated during collection or noted otherwise so we can de-chlorinate at Lab.

Also, utilize 1 liter polyethylene sample bottles if possible.

Sent from my iPhone

On Oct 8, 2018, at 10:23 AM, Brown, Jamesr <brown.jamesr@epa.gov> wrote:

Wes,

In the past with these exotic chemicals we've always been stung by the presence of chlorine in the sample negating any recovery attempts by the chemists and we lost hours of analytical time. So, this time can we run a set of dechlorinated samples with the chlorinated samples in case we experience the same set back?

Thanks,

Jim

Sent from my iPhone

On Oct 8, 2018, at 10:15 AM, McQuiddy, David
<Mcquiddy.David@epa.gov> wrote:

MBT received at Lab.
Chemists beginning work.

Sent from my iPhone

On Oct 7, 2018, at 1:17 PM, Brown, Jamesr
<brown.jamesr@epa.gov> wrote:

See attached update.

Cari-Michel said the preliminary results of the samples showed some detects for the

chlorothalonil, but below the TCEQ calculated health advisory of 50 ppb. Samples for cyanide (a degradation product of MBT) showed some detects but below the MCL of 200 ppb.

May have more on the results later this evening.

James R. Brown, P.G.
Associate Director
Safe Drinking Water Branch
Water Division
U.S. EPA Region 6
1445 Ross Avenue (Mail Code: 6WQ-S)
Dallas, Texas 75202-2733
Phone: (214) 665-3175

<http://www.epa.gov/region6/water/index.htm>

[<image001.jpg>](#) [<image002.jpg>](#)

From: Maguire, Charles
Sent: Saturday, October 06, 2018 2:00 PM
To: Gray, David <gray.david@epa.gov>
Cc: Brown, Jamesr <brown.jamesr@epa.gov>; Edlund, Carl <Edlund.Carl@epa.gov>; Rhotenberry, William <Rhotenberry.William@epa.gov>; Smalley, Bryant <smalley.bryant@epa.gov>; Crossland, Ronnie <Crossland.Ronnie@epa.gov>; Smith, Monica <smith.monica@epa.gov>; Ngo, Kim <Ngo.Kim@epa.gov>; McMillin, Rick <McMillin.Rick@epa.gov>; McQuiddy, David <Mcquiddy.David@epa.gov>
Subject: Re: Craft-Turney Update, October 6, 2018, 12:10 pm

Thanks Jim for staying on top of this for up!!
Good work!
Charles

Sent from my iPhone

On Oct 6, 2018, at 12:18 PM, Gray, David <gray.david@epa.gov> wrote:

Thank you

Sent from my iPhone

On Oct 6, 2018, at 12:12 PM,

Brown, Jamesr

<brown.jamesr@epa.gov> wrote:

Attached are the
Craft-Turney
Updates and the
New Release issued
by TCEQ last
evening.

I'll continue to
monitor email to see
if any updates occur
throughout the
weekend and
Monday.

Jim

James R. Brown, P.G.
Associate Director
Safe Drinking Water
Branch
Water Division
U.S. EPA Region 6
1445 Ross Avenue
(Mail Code: 6WQ-S)
Dallas, Texas 75202-
2733
Phone: (214) 665-
3175

<http://www.epa.gov/region6/water/index.htm>

<[image001.jpg](#)>

<[image002.jpg](#)>

<Craft Turney Oct 6
2018.docx>

<News Release-
Craft-Turney-2018-
10-5 (003)>

(002).docx>

<Craft Turney Oct 7 2018.docx>